

**Ideal for handling quarter/  
half pallets and special pallets**

**Width over forks manually adjustable  
(140–585 mm)**

**Particularly quiet running**

**Robust and durable**

**Fast lift as standard**



## AM V05


### Hand pallet truck for display pallets (500 kg)

The AM V05 is the perfect solution for picking up quarter and half pallets as well as full Euro pallets. It is really useful where display pallets are frequently moved e.g.

on the shop floor. Small special sized pallets can also be transported due to the adjustable forks from 140 to 585 mm, with the advantages of ease of opera-

tion, robustness and reliability similar to the standard Jungheinrich hand pallet truck.

# AM V05



# Technical Data in line with VDI 2198 as at: 08/2006

Identification	1.1	Manufacturer (abbreviation)		Jungheinrich	1.1
	1.2	Manufacturer's type designation		<b>AM V05</b>	1.2
	1.3	Drive		manual	1.3
	1.4	Operator type		hand	1.4
	1.5	Load capacity/rated load	Q (t)	0.5	1.5
	1.6	Load centre distance	c (mm)	400	1.6
	1.8	Load distance, centre of drive axle to fork	x (mm)	820	1.8
	1.9	Wheelbase	y (mm)	1120	1.9
	Weights	2.1	Service weight	kg	155
2.2		Axle loading, laden front/rear	kg	320/325	2.2
2.3		Axle loading, unladen front/rear	kg	101/54	2.3
Wheels, Chassis	3.1	Tyres		solid rubber, nylon	3.1
	3.2	Tyre size, front		180x50	3.2
	3.3	Tyre size, rear		82x40	3.3
	3.4	Additional wheels (dimensions)			
	3.5	Wheels, number front rear (x = driven wheels)		1/1	3.5
	3.6	Tread, front	b <sub>10</sub> (mm)	122	3.6
	3.7	Tread, rear	b <sub>11</sub> (mm)	700	3.7
Basic Dimensions	4.4	Lift	h <sub>3</sub> (mm)	390	4.4
	4.9	Height of tiller in drive position min./max.	h <sub>14</sub> (mm)	1210	4.9
	4.15	Height, lowered	h <sub>13</sub> (mm)	85	4.15
	4.19	Overall length	l <sub>1</sub> (mm)	1405	4.19
	4.20	Length to face of forks	l <sub>2</sub> (mm)	450	4.20
	4.21	Overall width	b <sub>1</sub> /b <sub>2</sub> (mm)	760/-	4.21
	4.22	Fork dimensions	s/e/l (mm)	50x50x955	4.22
	4.25	Distance between fork-arms	b <sub>5</sub> (mm)	140-585	4.25
	4.26	Distance between wheel arms/loading surfaces	b <sub>4</sub> (mm)	640	
	4.32	Ground clearance, centre of wheelbase	m <sub>2</sub> (mm)	30	4.32
	4.33	Aisle width for pallets 1000 x 1200 crossways	Ast (mm)	1805	4.33
	4.34	Aisle width for pallets 800 x 1200 lengthways	Ast (mm)	2005	4.34
	4.35	Turning radius	Wa (mm)	1425	4.35
Performance Data	5.3	Lowering speed, laden / unladen	m/s	0.09/0.05	5.3

# Make use of the advantages



Handling a quarter pallet



Handling a standard Euro pallet



A half pallet is picked up from a standard Euro pallet

## Flexible usage

Loading and unloading small pallets from a standard Euro pallet cannot be undertaken with a standard hand pallet truck. The AM V05 provides the solution. Due to individually adjustable forks from 140 to 585 mm, a variety of loads can also be picked up and transported. It can also, of course, pick up standard Euro pallets.

## Easy to handle

The smooth operating handle is equally suitable for left and right handed operators. Loads can be lowered smoothly with the special lowering valve.



Ergonomic handle

## Jungheinrich UK Ltd.

Head Office:

Sherbourne House · Sherbourne Drive  
Tilbrook · Milton Keynes MK7 8HX  
Phone 01908 363100  
Fax 01908 363180

info@jungheinrich.co.uk  
www.jungheinrich.co.uk

Jungheinrich UK Ltd.  
ISO 9001  
Certification of Quality  
Management.



Jungheinrich AG  
ISO 9001, ISO 14001  
Certification of Quality and  
Environment Management.



Jungheinrich trucks  
conform to the European  
Safety Requirements.



**JUNGHEINRICH**  
Well worthwhile